

L Number	Hits	Search Text	DB	Time stamp
-	1529	(static or ospf or bgp) near2 rout\$3	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:18
-	0	((static or ospf or bgp) near2 rout\$3) and (determin\$5 or identif\$6) near2 specif\$6 near1 prefix\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 09:59
-	83	((static or ospf or bgp) near2 rout\$3) and (determin\$5 or identif\$6) near3 prefix\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:20
-	3	((static or ospf or bgp) near2 rout\$3) and (determin\$5 or identif\$6) near2 particular near1 prefix\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 09:59
-	1	((static or ospf or bgp) near2 rout\$3) and (determin\$5 or identif\$6) near3 prefix\$5) and identity near2 (device or router)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:02
-	29	((static or ospf or bgp) near2 rout\$3) and (determin\$5 or identif\$6) near3 prefix\$5) and ident\$6 near2 (device or router)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:19
-	351	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:19
-	93	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6) and ident\$6 near2 (device or router)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:20
-	168	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6) and (determin\$5 or identif\$6) near3 (prefix\$5 or device or router)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:20
-	170	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6) and (determin\$5 or ident\$7) near3 (prefix\$5 or device or router)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:21
-	128	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6) and (determin\$5 or ident\$7) near3 (prefix\$5 or device or router)) and (determin\$5 or ident\$7) near5 (route or table)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/30 10:22
-	32	((static or ospf or bgp) near2 rout\$3) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6) and (determin\$5 or ident\$7) near3 (prefix\$5 or device or router)) and (determin\$5 or ident\$7) near5 (route or table) and @ad<20000323	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:32
-	520	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:46

-	68	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6) near3 (device or router or switch or unit or element or equipment)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/29 12:53
-	18	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6) near3 (device or router or switch or unit or element or equipment)) and @ad<20000323	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:45
-	77	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:48
-	23	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment)) and @ad<20000323	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:49
-	946	(static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 (table or config\$6 or rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:58

-	113	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 (table or config\$6 or rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:48
-	42	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway) near2 (table or config\$6 or rout\$4) same (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment)) and @ad<20000323	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:04
-	5469	(static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 18:59
-	1116	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:03
-	47	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment) near3 (prefix\$5 or routing or table or IP adj1 address or network adj1 address or accessed or traffic)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:18

-	21	((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment) near3 (prefix\$5 or routing or table or IP adj1 address or network adj1 address or accessed or traffic)) and @ad<20000323	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:22
-	9	("5079767" "5331637" "5892924" "5940391" "6018771" "6101549" "6141347" "6154463" "6389532").PN.	USPAT	2004/07/25 19:07
-	104	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address\$4 or network adj1 address\$4 or IP or rout\$4) near5 (prefix\$5 or routing or table or config\$6 or anal\$6 or model or accessed or traffic)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:27
-	45	((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address\$4 or network adj1 address\$4 or IP or rout\$4) near5 (prefix\$5 or routing or table or config\$6 or anal\$6 or model or accessed or traffic)) and (identity or type) near3 (device or router or switch or element or unit)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/25 19:22

-	23	<p>(((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address\$4 or network adj1 address\$4 or IP or rout\$4) near5 (prefix\$5 or routing or table or config\$6 or anal\$6 or model or accessed or traffic)) and (identity or type) near3 (device or router or switch or element or unit)) and @ad<20000323</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/07/25 19:22</p>
-	5	<p>(((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (device or router or switch or unit or element or equipment) near3 (prefix\$5 or routing or table or IP adj1 address or network adj1 address or accessed or traffic)) and @ad<20000323) and ((((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address\$4 or network adj1 address\$4 or IP or rout\$4) near5 (prefix\$5 or routing or table or config\$6 or anal\$6 or model or accessed or traffic)) and (identity or type) near3 (device or router or switch or element or unit)) and @ad<20000323)</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/07/25 19:22</p>
-	0	<p>((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type) near3 (device or router) near4 prefix\$5</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/07/25 19:29</p>

-	4	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4)) and (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or stud\$5 or traffic or read) with (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address)) and (determin\$5 or ident\$7) near5 (identity or type) near4 prefix\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 17:47
-	1025	(static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:45
-	222	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address) and (determin\$5 or ident\$7) near5 (identity or type)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 17:50
-	644	"20" and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 17:53
-	12	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address) and (determin\$5 or ident\$7) near5 (identity or type)) and (determin\$5 or ident\$7) near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:11
-	0	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 address) and (determin\$5 or ident\$7) near5 (identity or type)) and correspond\$5 near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:38

-	8	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and (determin\$5 or ident\$7 or find\$3) near3 (prefix\$5 or device or router or route or table or IP adj1 address or network adj1 adress) and (determin\$5 or ident\$7) near5 (identity or type)) and correspond\$5 near5 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:13
-	0	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and correspond\$5 near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:38
-	1	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) near5 (access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)) and correspond\$5 near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/29 18:44
-	33	(static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) and correspond\$5 near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/27 18:41
-	33	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) and correspond\$5 near5 (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (netowrk or IP adj1 address or network adj1 address or prefix\$5)) and (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record or prefix\$5) near5 (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 16:11

-	1224	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 19:09
-	327	((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 19:09
-	146	((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)) and information near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 16:42

-	402	((static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adjl address or network adjl address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 16:58
-	146	(((((static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adjl address or network adjl address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5) near3 (static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)) and information near3 (static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)) and (((static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adjl address or network adjl address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adjl short\$5 or border adjl gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 16:44

-	71	<p>(((((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)) and information near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record)) and (((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record))) and @ad<20000310</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/07/28 18:03</p>
-	524	<p>((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record or network or IP adj1 address or network adj1 address or prefix\$5)</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/07/28 16:59</p>

-	6	(((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record or network or IP adj1 address or network adj1 address or prefix\$5)) and (determin\$4 or ident\$6) near3 (device or router) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near5 (network or IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 18:01
-	10	5917808.URPN.	USPAT	2004/07/28 17:30
-	10	5917808.URPN.	USPAT	2004/07/28 17:40
-	6	("5526489" "5636371" "5815664" "5898830" "5917808" "5922049").PN.	USPAT	2004/07/28 17:45
-	0	6044399.URPN.	USPAT	2004/07/28 17:47
-	29	5684796.URPN.	USPAT	2004/07/28 17:53
-	25	(((static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record) same (identity or type or exit or entry or border or neighb\$6 or egress or ingress or device or router or switch or gateway or equipment) near3 (network or IP adj1 address or network adj1 address or prefix\$5))) and (determin\$4 or ident\$6 or access\$5 or search\$5 or look\$3 or pars\$5 or anal\$6 or retriev\$5 or obtain\$5 or extract\$5 or read\$3 or examin\$5 or collect\$5 or stor\$5 or gather\$5 or filter\$5) near3 (static or ospf or bgp or open adj1 short\$5 or border adj1 gateway or summarization or topology) near3 (table or config\$6 or rout\$4 or databse or list\$3 or updat\$6 or record or network or IP adj1 address or network adj1 address or prefix\$5)) and (determin\$4 or ident\$6) near3 (device or router) near3 (IP adj1 address or network adj1 address or prefix\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/28 18:03